

### Staying Safe

# This booklet contains the facts about drugs and solvents No myths No hype Facts about different drugs, their effects, their Just the facts risks, how to deal with problems, whether they

happen to you or a friend. Facts about what the law says, what medics say and generally how to stay safe

# Safe Cof J Safe



Keep it handy and show it to your friends - the first aid information alone could save a life

### Look after Each Other

### Know as much as possible about drugs and solvents, their effects and their risks

Watch out for your friends if they are taking anything

If someone starts to panic, stay with them and let them know that they're going to be alright

If someone feels ill or collapses, get help quickly (see section on First Aid)

> If you are feeling down or on edge, drugs could make you feel worse

#### <sup>Look</sup> afterEach Other

The best advice is not to mix any drugs, this includes alcohol and prescription drugs

If you've had epileptic fits, heart problems or a mental illness, illicit drugs can be particularly dangerous

Wear lightweight clothes for dancing if you're going to a club to help you keep cool

Don't allow your friends to drive if they've taken drugs, including alcohol

Buying and taking drugs could get you into trouble with your family, the law and drug dealers

Using drugs could lead to you

being forced to leave home and could land you in hospital, court or even prison

### <u>First Aid</u>

Watch out for your friends if they have taken drugs or solvents and they start feeling:

- dizzy or faint
- sick (ie want to vomit)
- suddenly tired
- sudden headache or cramps (especially in the arms and legs)
- · scared or confused
- short of breath

If they are drinking water to cool down, don't let them gulp down too much as this can be very dangerous



#### If someone collapses

If the person is breathing, put them in the recovery position by:

- · turning them onto their side
- tilt their head back to make sure their airway remains open (see picture)
- clear their airway if blocked and loosen their clothing
- check breathing and pulse regularly
- stay with them until help arrives

If the person is not breathing and you know how to do mouth to mouth resuscitation, do so. If not, wait until help arrives.

#### First

#### First Aid First Aid

#### If someone feels unwell

 Call for help - a first aider if in a club, or phone for an ambulance. If phoning for an ambulance give clear details of where you are and watch out for the ambulance coming

2. If you know, tell the first aider or paramedic what drugs have been taken - this information could save a life

If someone is having a had trip they may become very anxious and distressed. Reassure them by telling them they will be okay and you will stay with them (a bad trip may last a very long time)

> If they show no signs of becoming calmer or they become hysterical, take them to hospital, remembering to reassure them. Tell hospital staff what drugs you think, or know, they have taken



Marijuana

Effects depend on how you feel before you take it, how much you take, how strong it is and where you are

Relaxes you and changes the way you see the world

Can affect short-term memory





#### Can cause damage to your chest - including bronchitis or lung cancer

It can make you feel anxious and paranoid

Long-term users can become very lethargic and come to depend on using it



Affects the way you see things and how you feel about yourself and your surroundings, eg can make familiar objects, people, music appear strange

Almost impossible to tell how strong a tab is until it is taken, some people experience much stronger effects than others

#### **Trips** last for approximately 8 to 12 hours

Trips can be enjoyable or very upsetting Can increase depression and anxiety

Can lead to mental illness



# Strawbering BLOTTERIA DO

If a trip is bad, this can be very frightening

Watch out for friends if they are having a bad trip - reassure and comfort them

Flashbacks (reliving the trip) can occur weeks or months after a trip - they can be frightening and may be dangerous as they come unexpectedly

#### Magic Mushrooms - similar effects and risks as LSD

Additional risk of picking poisonous mushrooms by mistake



Speeds up your body's system and causes mood changes

Effects vary from feeling stimulated and relaxed to feeling anxious and paranoid



#### Effects usually last for about 2 to 4 hours but can last longer

Coming 'down' can make you feel anxious and depressed

Likely to make you feel hot and sweaty and you may become dehydrated and overheated, especially if dancing - drinking alcohol will increase these effects

# EVEDOVE Sectas

Sip about a pint of water every hour if dancing non-stop (it's better to sip small amounts of water regularly rather than drink large amounts all at once), take rests often and try to keep cool

Ecstasy puts a lot of physical strain on your heart, liver and kidneys

Taking other drugs, alcohol or more ecstasy increases the risks

The long-term effects are still not fully understood

water an hour



Makes the blood flow faster through your heart and veins - this lasts for a short time, eg 5 minutes

Causes a rush of dizzy energy - may make you feel light-headed and giggly

May also cause headaches, dizziness, flushed face and skin problems



#### Amy Liquid Gold hard rush RAVE

Taking with other drugs will put a massive strain on your heart

Poppers can be particularly dangerous for people with breathing or heart problems

#### Swallowing the liquid can cause death

Smoking when taking poppers is highly dangerous as poppers can go up in flames easily





Makes your heart beat faster and makes you feel you have more energy

#### Can affect your blood pressure and heart rate

Can make you feel confident and alert



Makes your appetite disappear and you feel less tired

### Effects last for about 6 to 8 hours

Coming 'down' will make you feel tired, hungry, anxious, panicky and depressed

# amphetamines past SULPH (Uppers Whizz methass

Using more and more speed to get the same effect is very risky and you could begin to depend on it

More chance of suffering from colds and infections

#### Never take speed while you are on anti-depressants - the combination can kill you

Taking with other drugs puts a massive strain on your system



Increases your heart rate and blood pressure

#### Can make you feel sick, irritable or aggressive

Causes an intense 'rush' for about 2 minutes, followed by a less intense feeling for about 20 to 30 minutes

> The effects of crack (freebase) last for about 10 to 12 minutes

Many users need more and more to stay 'high' and are unable to stop taking it



SNO

# Coke Stone rocks

Coming 'down' makes you feel exhausted, hungry, anxious, panicky, depressed and even paranoid

There are many health risks including chest pain, heart problems, lung damage and damage to the nasal passages

> Long-term users can suffer mental problems including depression, anxiety and even severe mental illness

Even more dangerous if mixed with other drugs including alcohol





Heroin is a brown powdered drug which is usually heated and then injected into the arm



#### Effects last for 2 to 3 hours

A habit can start very quickly

People often find that they can't stop using it

This can lead to problems with family, friends, money, poor health, serious illness and even death

# smackHskag

#### As heroin is injected there is the added risk of blood infections, hepatitis or HIV (which can lead to AIDS)

If you ever find a syringe, don't touch it, tell a responsible person as soon as possible



Sniffing can have an effect on your heart which can kill you

Suffocation, choking on your own vomit and accidents when sniffing can also kill you



# aerosols GLUEGas

Long-term use can cause damage to your liver, kidneys, lungs and nervous system

Most solvents are highly flammable

**1** out of every **4** people who die sniffing solvents are first time users



alcopops<sub>beer</sub> SPiRiTs <sub>cider</sub>Wine

Alcohol can make you feel more confident It can also make you more likely to take risks

# **Can** cause damage to many parts of your body, including your liver and brain

Mixing alcohol with other drugs is very dangerous Too much alcohol all in one go can harm you



You are also more likely to get involved in fights or have an accident if you've been drinking

Never drive after you've had a drink



fags cigarettes

Makes your breath and clothes smell

Can cause damage to your heart and lungs

#### Can cause cancer

Can affect your ability to play sports

Reduces the amount of money you have to spend on other things



**Tobacco** is the cause of the largest number of preventable deaths in Northern Ireland each year

-----

### Drugs and the Law

The most common offence is possession of a drug. More serious offences are supply and intention to supply. This includes giving or selling drugs to a friend, or even looking after them for someone else

Punishments range from a caution or fine, right up to a prison sentence, depending on the circumstances. (This is a very complex area of the law and these are only very general guidelines)

Even if a first time offender with a small amount of drugs is just cautioned or fined, it can still have very serious long-term effects

Getting in trouble with the law over drugs could mean vou losing your driving licence, your job and could even mean that you will not be allowed to visit certain countries. Taking drugs on holidav is an added danger, as other countries have different, and often very severe, punishments

# info More information

# If you or a friend want to know more about drugs, call the National Drugs Helpline

on



Calls are free and won't appear on your phone bill (although the number can

appear on the bill for some mobile phones), plus you won't need to give your name

Acknowledgement: London Dance Safety Campaign 1997

#### For more information on drugs call the NATIONAL DRUGS HELPLINE









www.healthpromotionagency.org.uk